

## Indiana Algebra 1 Standards to CORD Algebra 1, 2<sup>nd</sup> Edition

[http://doe.state.in.us/asap/standards/mathematics/algebra\\_I/algebra\\_I.html](http://doe.state.in.us/asap/standards/mathematics/algebra_I/algebra_I.html)

### Algebra I

#### Standard 1

##### Operations with Real Numbers

*Students simplify and compare expressions. They use rational exponents, and simplify square roots.*

A1.1.1 Compare real number expressions.

**Example:** Compare the sizes of:  $\sqrt{36} + \sqrt{64}$  and  $\sqrt{36 + 64}$ .

**Pages or Location:** 7-8, 13-17, 25, 31, 64, 69, 76, 102, 113, 537-538

A1.1.2 Simplify square roots using factors.

**Example:** Explain why  $\sqrt{48} = 4\sqrt{3}$ .

**Pages or Location:** 694-698, 717-721

A1.1.3 Understand and use the distributive, associative, and commutative properties.

**Example:** Simplify  $(6x^2 - 5x + 1) - 2(x^2 + 3x - 4)$  by removing the parentheses and rearranging. Explain why you can carry out each step.

**Pages or Location:** 85-86, 152, 164-165, 170, 176, 178, 419, 560, 562, 570-573, 589-591, 612

A1.1.4 Use the laws of exponents for rational exponents.

**Example:** Simplify  $25^{\frac{3}{2}}$ .

**Pages or Location:** 570-574, 575-580, 694-698, 717-721

A1.1.5 Use dimensional (unit) analysis to organize conversions and computations.

**Example:** Convert 5 miles per hour to feet per second.

**Pages or Location:** 44-48, 49-53, 68, 69, 73-77, TE 88, 154, TE 155, 197, 212, 262-263, 267, 277

#### Standard 2

##### Linear Equations and Inequalities

*Students solve linear equations and inequalities in one variable. They solve word problems that involve linear equations, inequalities, or formulas.*

A1.2.1 Solve linear equations.

**Example:** Solve the equation  $7a + 2 = 5a - 3a + 8$ .

**Pages or Location:** 146-154, 155-160, 161-168, 169-174, 175-179, 180-184, 185-186, 186-188, 188-189, 190-203, 212, 217, 224, 248, 254, 259, 267, 295, 303, 425, 563, 574, 599, 632, 716

### Indiana Algebra 1 Standards to CORD Algebra 1, 2<sup>nd</sup> Edition

A1.2.2 Solve equations and formulas for a specified variable.

**Example:** Solve the equation  $q = 4p - 11$  for  $p$ .

**Pages or Location:** 89, 91, 148, 150, 154, 160, 163, 167, 171-173, 184, 185-186, 186-188, 190, 193, 195, 198-200, 248, 267, 361, 475, 573, 574, 698, 708, 720

A1.2.3 Find solution sets of linear inequalities when possible numbers are given for the variable.

**Example:** Solve the inequality  $6x - 3 > 10$  for  $x$  in the set  $\{0, 1, 2, 3, 4\}$ .

**Pages or Location:** 514-516, 545

A1.2.4 Solve linear inequalities using properties of order.

**Example:** Solve the inequality  $8x - 7 \leq 2x + 5$ , explaining each step in your solution.

**Pages or Location:** 501-505, 506-511, 546-550, 574, 625, 686

A1.2.5 Solve combined linear inequalities.

**Example:** Solve the inequalities  $-7 < 3x + 5 < 11$ .

**Pages or Location:** 512-518, 521, 537-538, 538-540, 553, 687

A1.2.6 Solve word problems that involve linear equations, formulas, and inequalities.

**Example:** You are selling tickets for a play that cost \$3 each. You want to sell at least \$50 worth. Write and solve an inequality for the number of tickets you must sell.

**Pages or Location:** 85-92, 93-96, 97-102, 103-106, 107-113, 128-143, 146-154, 155-160, 161-168, 169-174, 174-179, 180-184, 190-203, 501-505, 506-511, 512-518, 519-522, 523-531, 532-536, 544-555

### Standard 3

#### Relations and Functions

*Students sketch and interpret graphs representing given situations. They understand the concept of a function and analyze the graphs of functions.*


A1.3.1 Sketch a reasonable graph for a given relationship.

**Example:** Sketch a reasonable graph for a person's height from age 0 to 25.

**Pages or Location:** 245, 280-286

A1.3.2 Interpret a graph representing a given situation.

**Example:** Jessica is riding a bicycle. The graph below shows her speed as it relates to the time she has spent riding. Describe what might have happened to account for such a graph.



## Indiana Algebra 1 Standards to CORD Algebra 1, 2<sup>nd</sup> Edition

**Pages or Location:** 245, 280-286

- A1.3.3 Understand the concept of a function, decide if a given relation is a function, and link equations to functions.

**Example:** Use either paper or a spreadsheet to generate a list of values for  $x$  and  $y$  in  $y = x^2$ . Based on your data, make a conjecture about whether or not this relation is a function. Explain your reasoning.

**Pages or Location:** 241, 280-286, 287-290, 296-303, 304-305, 312-319, 323-339, 620-625, 626-632, 657-660, 660-662, 662-663

- A1.3.4 Find the domain and range of a relation.

**Example:** Based on the list of values from the last example, what do the domain and range of  $y = x^2$  appear to be? How can you decide whether you are correct?

**Pages or Location:** 280-286, 292, 293, 297, 301, 314, 332, 338, 448, 469, 511

### Standard 4

#### Graphing Linear Equations and Inequalities

*Students graph linear equations and inequalities in two variables. They write equations of lines and find and use the slope and y-intercept of lines. They use linear equations to model real data.*

- A1.4.1 Graph a linear equation.

**Example:** Draw the graph of the line with slope 3 and y-intercept -2.

**Pages or Location:** 218-224, 225-233, 234-240, 241-248, 249-254, 255-259, 265-277, 282, 373, 403, 410, 442-448, 449-455, 476-477, 477-479, 481-493, 500, 523-531

- A1.4.2 Find the slope, x-intercept and y-intercept of a line given its graph, its equation, or two points on the line.

**Example:** Find the slope and y-intercept of the line  $4x + 6y = 12$ .

**Pages or Location:** 218-224, 225-233, 234-240, 241-248, 249-254, 255-259, 265-277, 282, 303, 311, 327, 373, 403, 414, 442-448, 449-455, 462, 500, 511, 523-531, 625, 632

- A1.4.3 Write the equation of a line in slope-intercept form. Understand how the slope and y-intercept of the graph are related to the equation.

**Example:** Write the equation of the line  $4x + 6y = 12$  in slope-intercept form. What is the slope of this line? Explain your answer.

**Pages or Location:** 227-233, 234-240, 259, 262-263, 263-264, 265-277, 282, 442-448, 523-531

- A1.4.4 Write the equation of a line given appropriate information

**Example:** Find an equation of the line through the points (1, 4) and (3, 10), then find an equation of the line through the point (1, 4) perpendicular to the first line.

**Pages or Location:** 234-240, 241-248, 249-254, 258, 262-263, 263-264, 265-277, 282, 319, 410, 475, 531, 687

## Indiana Algebra 1 Standards to CORD Algebra 1, 2<sup>nd</sup> Edition

- A1.4.5 Write the equation of a line that models a data set and use the equation (or the graph of the equation) to make predictions. Describe the slope of the line in terms of the data, recognizing that the slope is the rate of change.

**Example:** As your family is traveling along an interstate, you note the distance traveled every 5 minutes. A graph of time and distance shows that the relation is approximately linear. Write the equation of the line that fits your data. Predict the time for a journey of 50 miles. What does the slope represent?

**Pages or Location:** 224, 246, 268, 291, 404-410, 432, 437, 439, 475, 481, 485, 518, 528

- A1.4.6 Graph a linear inequality in two variables.

**Example:** Draw the graph of the inequality  $6x + 8y \geq 24$ .

**Pages or Location:** 523-531, 532-536, 546, 548, 550, 554, 555

### Standard 5

#### Pairs of Linear Equations and Inequalities

*Students solve pairs of linear equations using graphs and using algebra. They solve pairs of linear inequalities using graphs. They solve word problems involving pairs of linear equations.*

- A1.5.1 Use a graph to estimate the solution of a pair of linear equations in two variables.

**Example:** Graph the equations  $3y - x = 0$  and  $2x + 4y = 15$  to find where the lines intersect.

**Pages or Location:** 442-448, 449-455, 476-477, 477-479, 481-489, 531

- A1.5.2 Use a graph to find the solution set of a pair of linear inequalities in two variables.

**Example:** Graph the inequalities  $y \leq 4$  and  $x + y \leq 5$ . Shade the region where both inequalities are true.

**Pages or Location:** 532-536, 580, 716

- A1.5.3 Understand and use the substitution method to solve a pair of linear equations in two variables.

**Example:** Solve the equations  $y = 2x$  and  $2x + 3y = 12$  by substitution.

**Pages or Location:** 456-462, 481-493

- A1.5.4 Understand and use the addition or subtraction method to solve a pair of linear equations in two variables.

**Example:** Use subtraction to solve the equations:  $3x + 4y = 11$ ,  $3x + 2y = 7$ .

**Pages or Location:** 463-469, 481-493

- A1.5.5 Understand and use multiplication with the addition or subtraction method to solve a pair of linear equations in two variables.

**Example:** Use multiplication with the subtraction method to solve the equations:  $x + 4y = 16$ ,  $3x = 2y - 3$ .

**Pages or Location:** 470-475, 481-493

## Indiana Algebra 1 Standards to CORD Algebra 1, 2<sup>nd</sup> Edition

A1.5.6 Use pairs of linear equations to solve word problems.

**Example:** The income a company makes from a certain product can be represented by the equation  $y = 10.5x$  and the expenses for that product can be represented by the equation  $y = 5.25x + 10,000$ , where  $x$  is the amount of the product sold and  $y$  is the number of dollars. How much of the product must be sold for the company to reach the break-even point?

**Pages or Location:** 442-448, 449-455, 456-462, 463-469, 470-475, 481-493, 518, 580, 592, 600, 625, 632, 644, 698

### Standard 6

#### Polynomials

*Students add, subtract, multiply, and divide polynomials. They factor quadratics.*

A1.6.1 Add and subtract polynomials.

**Example:** Simplify  $(4x^2 - 7x + 2) - (x^2 + 4x - 5)$ .

**Pages or Location:** 558-563, 616

A1.6.2 Multiply and divide monomials.

**Example:** Simplify  $a^2b^5 \div ab^2$ .

**Pages or Location:** 564-569, 570-574, 575-580, 616

A1.6.3 Find powers and roots of monomials (only when the answer has an integer exponent).

**Example:** Find the square root of  $a^2b^6$ .

**Pages or Location:** 570-574, 575-580

A1.6.4 Multiply polynomials.

**Example:** Multiply  $(n + 2)(4n - 5)$ .

**Pages or Location:** 586-592, 601-606, 608-610, 611, 614

A1.6.5 Divide polynomials by monomials.

**Example:** Divide  $4x^3y^2 + 8xy^4 - 6x^2y^5$  by  $2xy^2$ .

**Pages or Location:** 572-573

A1.6.6 Find a common monomial factor in a polynomial.

**Example:** Factor  $36xy^2 + 18xy^4 - 12x^2y^4$ .

**Pages or Location:** 570-574, 600, 614-616

A1.6.7 Factor the difference of two squares and other quadratics.

**Example:** Factor  $4x^2 - 25$  and  $2x^2 - 7x + 3$ .

**Pages or Location:** 593-600, 601-606, 607-608, 613-617, 633-637, 647

A1.6.8 Understand and describe the relationships among the solutions of an equation, the zeros of a function, the  $x$ -intercepts of a graph, and the factors of a polynomial expression.

**Example:** A graphing calculator can be used to solve  $3x^2 - 5x - 1 = 0$  to the nearest tenth. Justify using the  $x$ -intercepts of  $y = 3x^2 - 5x - 1$  as the solutions of the equation.

**Pages or Location:** 626-632, 633-637, 645-648, 660-662, 664-677

## Indiana Algebra 1 Standards to CORD Algebra 1, 2<sup>nd</sup> Edition

### Standard 7

#### Algebraic Fractions

*Students simplify algebraic ratios and solve algebraic proportions.*

A1.7.1 Simplify algebraic ratios.

**Example:** Simplify  $\frac{x^2 - 16}{x^2 + 4x}$ .

**Pages or Location:** 580

A1.7.2 Solve algebraic proportions.

**Example:** Create a tutorial to be posted to the school's web site to instruct beginning students in the steps involved in solving an algebraic proportion. Use  $\frac{x+5}{4} = \frac{3x+5}{7}$  as an example.

**Pages or Location:** 155-160, 196, 224, 248, 254, 286, 303, 484, 583-584, 592, 632, 675

### Standard 8

#### Quadratic, Cubic, and Radical Equations

*Students graph and solve quadratic and radical equations. They graph cubic equations.*

A1.8.1 Graph quadratic, cubic, and radical equations.

**Example:** Draw the graph of  $y = x^2 - 3x + 2$ . Using a graphing calculator or a spreadsheet (generate a data set), display the graph to check your work.

**Pages or Location:** 296-303, 304-311, 323-338, 620-625, 626-632, 633-637, 638-644, 647, 667, 698

A1.8.2 Solve quadratic equations by factoring.

**Example:** Solve the equation  $x^2 - 3x + 2 = 0$  by factoring.

**Pages or Location:** 633-637, 647

A1.8.3 Solve quadratic equations in which a perfect square equals a constant.

**Example:** Solve the equation  $(x - 7)^2 = 64$ .

**Pages or Location:** 645-648

A1.8.4 Complete the square to solve quadratic equations.

**Example:** Solve the equation  $x^2 - 7x + 9 = 0$  by completing the square.

**Pages or Location:** 645-648

A1.8.5 Derive the quadratic formula by completing the square.

**Example:** Prove that the equation  $ax^2 + bx + c = 0$  has solutions

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

**Pages or Location:** 649-650

## Indiana Algebra 1 Standards to CORD Algebra 1, 2<sup>nd</sup> Edition

A1.8.6 Solve quadratic equations by using the quadratic formula.

**Example:** Solve the equation  $x^2 - 7x + 9 = 0$ .

**Pages or Location:** 649-656, 660-662, 665, 668, 675

A1.8.7 Use quadratic equations to solve word problems.

**Example:** A ball falls so that its distance above the ground can be modeled by the equation  $s = 100 - 16t^2$ , where  $s$  is the distance above the ground in feet and  $t$  is the time in seconds. According to this model, at what time does the ball hit the ground?

**Pages or Location:** 620-625, 626-632, 633-637, 638-644, 645-648, 649-656, 664-677, 708

A1.8.8 Solve equations that contain radical expressions.

**Example:** Solve the equation  $\sqrt{x+6} = x$ .

**Pages or Location:** 717-721, 730-732

A1.8.9 Use graphing technology to find approximate solutions of quadratic and cubic equations.

**Example:** Use a graphing calculator to solve  $3x^2 - 5x - 1 = 0$  to the nearest tenth.

**Pages or Location:** 628, 630-632, 635, TE 640, TE 641, 662-663

### Standard 9

#### Mathematical Reasoning and Problem Solving

*Students use a variety of strategies to solve problems.*

A1.9.1 Use a variety of problem solving strategies, such as drawing a diagram, making a chart, guess-and-check, solving a simpler problem, writing an equation, and working backwards.

**Example:** Fran has scored 16, 23, and 30 points in her last three games. How many points must she score in the next game so that her four game average does not fall below 20 points?

**Pages or Location:** See features “**Four Step Plan**” pages 29, 90, 158, 245, 317, 346, 423, 460, 534, 579, 642, 720; “**Workplace Communication**” pages 111, 172, 216, 302, 353, 401, 473, 509, 605, 705; “**Practice and Problem Solving**” ” and “**Mixed Review**” exercises at end of each lesson; “**Math Applications**” exercises at end of each chapter

A1.9.2 Decide whether a solution is reasonable in the context of the original situation.

**Example:** John says the answer to the problem in the first example is 10 points. Is his answer reasonable? Why or why not?

**Pages or Location:** See features “**Four Step Plan**” pages 29, 90, 158, 245, 317, 346, 423, 460, 534, 579, 642, 720

## Indiana Algebra 1 Standards to CORD Algebra 1, 2<sup>nd</sup> Edition

*Students develop and evaluate mathematical arguments and proofs.*

- A1.9.3 Use the properties of the real number system and the order of operations to justify the steps of simplifying functions and solving equations.

**Example:** Given an argument (such as  $3x + 7 > 5x + 1$ , and therefore  $-2x > -6$ , and therefore  $x > 3$ ), provide a visual presentation of a step-by-step check, highlighting any errors in the argument.

**Pages or Location:** 146-154, 157-158, 161-168, 169-174, 175-179, 230, 241, 242, 502, 508, 509, 560, 635, 636, 640, 641, 645, 647, 649, 683, 684

- A1.9.4 Understand that the logic of equation solving begins with the assumption that the variable is a number that satisfies the equation, and that the steps taken when solving equations create new equations that have, in most cases, the same solution set as the original. Understand that similar logic applies to solving systems of equations simultaneously.

**Example:** Try “solving” the equations  $x + 3y = 5$  and  $5x + 15y = 25$  simultaneously, and explain what went wrong.

**Pages or Location:** 146-154, 155-160, 161-168, 169-174, 175-179, 180-184, 456-462, 263-469, 470-475

- A1.9.5 Decide whether a given algebraic statement is true always, sometimes, or never (statements involving linear or quadratic expressions, equations, or inequalities).

**Example:** Is the statement  $x^2 - 5x + 2 = x^2 + 5x + 2$  true always, sometimes, or never? Explain your answer.

**Pages or Location:** 86, 90, 91

- A1.9.6 Distinguish between inductive and deductive reasoning, identifying and providing examples of each.

**Example:** What type of reasoning are you using when you look for a pattern?

**Pages or Location:** Not covered

- A1.9.7 Identify the hypothesis and conclusion in a logical deduction.

**Example:** What is the hypothesis and conclusion in this argument: If there is a number  $x$  such that  $2x + 1 = 7$ , then  $x = 3$ .

**Pages or Location:** Not covered

- A1.9.8 Use counterexamples to show that statements are false, recognizing that a single counterexample is sufficient to prove a general statement false.

**Example:** Use the demonstration-graphing calculator on an overhead projector to produce an example showing that this statement is false: all quadratic equations have two different solutions.

**Pages or Location:** 86